

High-quality products, specially designed for exhibitions

exposupply


Display Spots



Super-fast
-fresh
Breakfast

New dimension
of smoke

Linkable



Connectors



IEC C13-C14



Wieland GST18



IEC C7-C8



For **every** stand construction system



Aluvision
beMatrix



Octanorm
Modul




Panel



Custom



Pipe clamp



Truss hook



CYRA 20

Sleek, modern and stylish LED display spot.
Ideally suited for a trade fair wall of 2.5 meters high
or on a pop-up wall.



IEC C7-C8

3000K / 4000K / 5700K

- ✓ **SLEEK DESIGN**
- ✓ **VARIOUS COLOR TEMPERATURES**
- ✓ **LINKABLE**
- ✓ **ROBUST ALUMINIUM**



More information

Specifications

Power	20 W	Input voltage	100 - 240V
Luminous Flux	Up to 2,300 Lumens	Adapter	Built-in driver (C7-C8)
Installation height	Approx. 2.5 meters	Beam angle	120°
Max linkable	15	Lenght	510 mm



META 25

Stylish 25W display spotlight, available in three color temperatures. Suitable for any stand construction system



IEC C13-C14



Wieland GST18

3000K / 4000K / 5700K


- ✓ **WIDE HEAD**
- ✓ **EXCELLENT LIGHT DISTRIBUTION**
- ✓ **LINKABLE**
- ✓ **ROBUST ALUMINIUM**



More information

Specifications

Power	25 W	Input voltage	100 - 240V
Luminous flux	Up to 2,750 Lumens	Adapter	Built-in driver (IEC / Wieland)
Installation height	Approx. 3 meters	Beam angle	120°
Max linkable	24	Lenght	610 mm



LUMI 30

Display spotlight with tri-color switch, 3700 lumen output and clips for any stand construction system – the all-round favourite in Europe.



IEC C13-C14



Wieland GST18

3000K / 4000K / 5700K


- ✓ **CLASSIC DESIGN**
- ✓ **TRI-COLOR**
- ✓ **LINKABLE**
- ✓ **ROBUST ALUMINIUM**



More information

Specifications

Power	30 W	Input voltage	100 - 240V
Luminous flux	Up to 3,700 Lumens	Adapter	Built-in driver (IEC / Wieland)
Installation height	Approx. 3.5 meters	Beam angle	120°
Max linkable	28	Lenght	610 mm



SOLA 30

Black, robust spotlight with tri-color and dimmable switch – perfect for sleek, modern stands



IEC C13-C14



Wieland GST18

3000K + 4000K + 5700K

- ✓ **BLACK ELEGANCE**
- ✓ **MODERN DESIGN**
- ✓ **DIMMABLE SWITCH**
- ✓ **TRI-COLOR**



More information

Specifications

Power	30W	Input voltage	100 - 240V
Luminous Flux	Up to 4,140 Lumens	Adapter	Built-in driver (IEC / Wieland)
Installation height	Approx. 3.5 meters	Beam angle	110°
Max linkable	30	Length	558 mm



NOVI 50

Powerful display spot with switch between 3000K, 4000K and 5700K for any desired atmosphere.



IEC C13-C14



Wieland GST18

3000K / 4000K / 5700K

- ✓ **POWERFUL**
- ✓ **TRI-COLOR**
- ✓ **LINKABLE**
- ✓ **ROBUST ALUMINIUM**



More information

Specifications

Power	50 Watt	Input voltage	100 - 240V
Luminous Flux	Up to 5,700 Lumens	Adaptor	Built-in driver (IEC / Wieland)
Installation height	Approx. 4 - 4.5 meters	Beam angle	90°
Max linkable	20	Lenght	660 mm



NOVI 70

With 8700 lumens and safety ring, the NOVI 70 is the powerful spotlight for safe truss mounting or high walls.



IEC C13-C14



Wieland GST18

4000K / 5700K


- ✓ **MOST POWERFUL**
- ✓ **CONNECT TO TRUSS**
- ✓ **SAFETY RING**
- ✓ **GREAT HEIGHT**



More information

Specifications


Power	70 W	Input voltage	100 - 240V
Luminous flux	Up to 8,700 Lumens	Adapter	Built-in driver (IEC / Wieland)
Installation height	Approx. 5 meters	Beam angle	90°
Max linkable	12	Lenght	760 mm



Display spots **mounting clips**



Clip Aluvision/ beMatrix



Clip Pipe clamp



Clip Octanorm 1



Clip Octanorm 2



Clip Modul - Syma



Clip Panel
(16 / 19 / 22mm)



Clip Truss hook
(30 / 40 cm)



Clip Custom
(10 / 17cm)

Display spots **cables & safety**



Connection cable IEC C13-C14
(150 / 200 / 300 cm)



Powercable IEC
(EU / UK)



Connection cable Wieland
GST18 (150 / 200 / 300 cm)



Powercable Wieland GST18
(EU / UK)


SAFETY CABLES AND CLIPS



Safety cable 30 cm



Clip Safety



Clip Angle 7,60°



Connection cable IEC C7-C8
(200cm)

Display spots **transportboxes**



Transport bag CYRA 2x



Transportbox CYRA 6x




Transportbox pendelspots 8x
LUMI 30 / SOLA 30 / NOVI 50



Transportbox hoog
pendelspots 8x




Transportbox 5x NOVI 70



Foam transportbox
5x NOVI 70



Foam transportbox
8x SOLA 30



Foam transportbox
8x NOVI 50 / LUMI 30

exposupply

Your key exhibition supplier

www.exposupply.nl

www.exposupply.de

www.exposupply.fr

www.exposupply.com